University of Cincinnati

Date: 2/17/2020

I. Hanlin Zhou, hereby submit this original work as part of the requirements for the degree of Master of Arts in Geography.

It is entitled:

Assessing the Impact of Nightlight Gradients on Street Robbery and Burglary in Cincinnati, Ohio

Student's name: Hanlin Zhou

This work and its defense approved by:

Committee chair: Lin Liu, Ph.D.

Committee member: Richard Beck, Ph.D.

Committee member: John Eck, Ph.D.



36553

Assessing the Impact of Nightlight Gradients on Street Robbery and Burglary in Cincinnati, Ohio

A thesis submitted to the

Graduate School

of the University of Cincinnati

in partial fulfillment of the requirements for the degree of

Master of Arts

in the Department of Geography

of the McMicken College of Arts and Sciences

by

Hanlin Zhou

B.S., University of Cincinnati, April 2018

B.S., Sun Yat-sen University, June 2018

Committee Chair: Lin Liu, Ph.D.

Abstract

Previous research has recognized the importance of edges to crime. Various scholars have explored how one specific type of edges such as physical edges or social edges affect crime, but rarely investigated the importance of the composite edge effect. To address this gap, this study introduces nightlight data from the Visible Infrared Imaging Radiometer Suite sensor on the Suomi National Polar-orbiting Partnership Satellite (NPP-VIIRS) to measure composite edges. This study defines edges as nightlight gradients—the maximum change of nightlight from a pixel to its neighbors. Using nightlight gradients and other control variables at the tract level, this study applies negative binomial regression models to investigate the effects of edges on the street robbery rate and the burglary rate in Cincinnati. The Akaike Information Criterion (AIC) of models show that nightlight gradients improve the fitness of models of street robbery and burglary. Also, nightlight gradients make a positive impact on the street robbery rate whilst a negative impact on the burglary rate, both of which are statistically significant under the alpha level of 0.05. The different impacts on these two types of crimes may be explained by the nature of crimes and the in-situ characteristics, including nightlight.

Keywords:

Crime; edges; nightlight satellite data; NPP-VIIRS.

Acknowledgements

This master thesis uses my first author publication entitled "Assessing the Impact of Nightlight Gradients on Street Robbery and Burglary in Cincinnati of Ohio State, USA" in Remote Sensing (https://doi.org/10.3390/rs11171958) instead of the traditional MA thesis, which also fulfills the requirement according to Geography Graduate Handbook. For this research work, I want to appreciate my respectable advisor and thesis committee chair Dr. Lin Liu who gives his full support for me. He is always willing to help me in my research. He not only respects my research interests in nightlight satellite data, but also guides me to link my interests to the research topic in criminology. Additionally, I appreciate Dr. Richard Beck for his knowledges in remote sensing. I was his student and his teaching assistant in Introduction to Remote Sensing taught by him before. He was always willing to share his experience in remote sensing fieldwork with me. I was motivated by his enthusiastic in research. Further, I appreciate Dr. John Eck for his suggestions in crime research. He taught me several important crime theories related to my research from his course Applied Crime Prevention. Moreover, I appreciate Minxuan Lan, Dr. Bo Yang, Dr. Zengli Wang, and Dr. Zuoqi Chen for their kind support for my research. Lastly, I am very grateful to my parents who encourage me to continuing my study in geography.

Table of Contents

1. Introduction
1.1. Edges and Crimes
1.2. Edges Measured by Nightlight Satellite Data
2. Research Questions and Conceptual Framework
3. Study Area and Data11
3.1. Study Area and Crime Data
3.2. Nightlight Satellite Data
3.3. Edges Defined as Nightlight Gradients
3.4. Operationalization of Variables19
3.5. Models
4. Results
5. Discussion
6. Conclusions
References 34

1. Introduction

Previous studies have explored criminal opportunities in different geographical areas (PL Brantingham & Brantingham, 1981; Paul J Brantingham & Brantingham, 1977; Patricia L Brantingham & Brantingham, 1975; Duffala, 1976; Eck & Weisburd, 2015; Hunter, 1988; LeBeau, 1987; Mayhew & Britain, 1976; G. Rengert, 1980; G. F. Rengert, 1981; Stoks, 1983). Crime rates are high in areas marked by a minimum of personal, intimate social interaction (Jeffery, 1958). These areas, containing mixes of land use and physical spaces, tend to have more crime generators and attractors (Bernasco & Block, 2011; P. Brantingham & Brantmgham, 1995; Patricia L Brantingham & Brantingham, 1975, 1993; Cohen & Felson, 1979; Herbert & Hyde, 1985; Suttles, 1968). A body of research has theorized the importance of boundaries of geographic units in the location of crime (Patricia L. Brantingham, Brantingham, Vajihollahi, & Wuschke, 2009; Kim & Hipp, 2018; Legewie, 2018; Song, Andresen, Brantingham, & Spicer, 2017; Song, Spicer, & Brantingham, 2013). These spatial boundaries, such as physical boundaries and social boundaries, are defined as "edges" by Brantingham and Brantingham (Patricia L Brantingham & Brantingham, 1993). Areas with more edges may motivate offenders to commit crimes (Davison & Smith, 2002). Scholars have explored the relationship between spatial boundaries and levels of crimes (Kim & Hipp, 2018; Legewie, 2018). Though there are studies that measure different types of edges using census variables and land use data, scholars mainly focus on one specific type of edges. Relationship between areas with composite edges, representing a combined set of all edges related to social and physical features, and crime remains untouched in the literature. Nightlight satellite data, reflection of combined effect of socioeconomic developments (Chand, Badarinath, Elvidge, & Tuttle, 2009; Chen et al., 2015; C. H. Doll, Muller, & Elvidge, 2000; C. N. Doll, Muller, & Morley, 2006; Elvidge, Baugh, Anderson, Sutton, & Ghosh, 2012; Ghosh, Elvidge, et al., 2010; Ghosh, L Powell, et al., 2010; He, Ma, Liu, & Zhang, 2014; Proville, Zavala-Araiza, & Wagner, 2017; Raupach, Rayner, & Paget, 2010; Shi, Yu, et al., 2014; P. Sutton, 1997; P. Sutton, Roberts, Elvidge, & Meij, 1997; P. C. Sutton, Elvidge, & Ghosh, 2007; Townsend & Bruce, 2010) and urban constructions (Dou, Liu, He, & Yue, 2017; Elvidge et al., 2007; Henderson, Yeh, Gong, Elvidge, & Baugh, 2003; Imhoff et al., 1997; Li, Zhao, Li, & Xu, 2018; Z. Liu, He, Zhang, Huang, & Yang, 2012; Lo, 2002; Ma et al., 2014; McDonald, Kareiva, & Forman, 2008; Shi, Huang, et al., 2014; Wu, Ma, Li, Peng, & Liu, 2014; Yu et al., 2014), could be a suitable source to measure such composite edges. This study aims to explore the possible impact of composite edges measured by nightlight gradients on street robbery and burglary.

1.1. Edges and Crimes

Edges are key concepts in the crime pattern theory (PL Brantingham & Brantingham, 1981; Paul J Brantingham, Brantingham, & Molumby, 1977; Patricia L Brantingham & Brantingham, 1993; Lynch, 1960). In this theory, the spatial dimension of crime can be considered as the composition of activity nodes, paths, and edges. Activity nodes are places where people sleep, work, and entertain or shop; paths are places between activity nodes, for example, the road network and footpath; edges are boundaries where the noticeable change is distinctive from one part to another (Patricia L Brantingham &

Brantingham, 1993). This noticeable change can be defined by various characteristics ranging from the sharp and well-defined area to the diffused and progressive area, including physical, social or economic attributes (Song et al., 2013). Edges can be physically visible boundaries between different areas, such as rivers, regional or local parks, transit systems like highways and major roads (Patricia L. Brantingham et al., 2009; Song et al., 2017; Song et al., 2013). Physically visible edges may increase crime by affecting the perceived likelihood of detection such as reducing the sense of guardianship (Kim & Hipp, 2018). Research has investigated the relationship between crimes and the proximity to parks and highways (Groff, Weisburd, & Yang, 2010; Kim & Hipp, 2018; Kimpton, Corcoran, & Wickes, 2017; McCutcheon, Weaver, Huff-Corzine, Corzine, & Burraston, 2016). However, parks and highways are not considered as edges since they are theorized as crime attractors in most studies (Kim & Hipp, 2018).

Additionally, less physically visible edges also affect crime occurrence. Crimes occur in edges between social neighborhoods and districts (Paul J Brantingham et al., 1977). Brantingham and Brantingham found that burglary rates are much higher in street blocks bordering on edges than in the interiors of neighborhoods (Patricia L Brantingham & Brantingham, 1975, 1978). They applied "fuzzy topology algorithm" to measure changes from one dissemination area (a census unit in Canada, composed of block clusters) to another and found that street blocks on borders have higher burglary levels than those in the interior of neighborhoods (Patricia L. Brantingham et al., 2009). Brantingham et al. found that gang violence strongly clusters on edges between gangs (P Jeffrey Brantingham, Tita, Short, & Reid, 2012). Song et al. defined edges as the boundary

between single-family zones and other types of land use classifications and found that edges of single-family zones have more crime events since these edges perceptually reduce spatial ownership, while increase potential conflicts and decrease the feeling of safety (Song et al., 2013). Similarly, Song et al. found that rates of criminal victimization are high on edges where land use classifications change, but decrease quickly as the distance to edges increase (Song et al., 2017). Hart recognized that bus stops on edges of mixed types of land use such as commercial areas and residential areas can generate crimes (Hart & Miethe, 2015). Kim and Hipp demonstrated that the crime level is higher in the administrative boundaries on city boundaries in Southern California (Kim & Hipp, 2018). Legewie found that violent crimes are more likely to occur at neighborhood boundaries than internal neighborhood characteristics (Legewie, 2018).

To investigate the impact of edges on crimes, scholars use statistical models and define edges as one main independent variable. They define physically visible edges (i.e., rivers, regional or local parks, and highways or major roads) and administrative edges (i.e., city boundaries and school districts) as the binary variable (Yes/No) or define these edges as the continuous variable (distance from these boundaries). For example, Kim and Hipp found that street segments adjacent to administrative edges and physically visible edges have higher levels of crime (Kim & Hipp, 2018). For social edges, previous research focuses on where social edges exist and how sharp those edges are. Scholars measure social edges by socio-spatial features instead of using the proximity to differently composed areas. For example, Legewie used ethno-racial variables from the census data and detected the positive effect of racial neighborhood edges on violent crimes (Legewie, 2018). Though

scholars explored how one specific type of physical edges or social edges affect crimes, they paid less attention to how areas with composite edges may affect crime.

Areas with composite edges represent that areas involve different types of edges. For example, both physical edges and social edges can exist in the same area. The importance of composite edges in levels of crimes should be recognized for two reasons. First, generally, areas in a city are not simply composed of only one specific type of edge. Since edges are defined as distinctive shifts from one part to another by various characteristics (Patricia L Brantingham & Brantingham, 1993; Song et al., 2013), edges in a place can not only be the physical change (i.e., boundaries between urban areas and non-urban areas) but also be the social change (i.e., boundaries between areas with high socioeconomic developments and areas with low socioeconomic developments). Therefore, one specific type of edge cannot fully explain how areas with composite edges are associated with crimes. Second, though previous studies explore how one specific type of edge is related to crimes conditional on other types of edges, the impact of composite edges cannot be simply equaled to the combination of effects of different types of edges. For example, though the importance of physical edges and social edges in crime occurrence has been recognized, it is hard to measure how areas with less physical edges and more social edges or areas with more physical edges and fewer social edges are associated with crimes. To research how sharp composite edges are and their impact on crimes, a new data source is required. To fill this research gap, this study introduces nightlight satellite data to measure composite edges in the city.

1.2. Edges Measured by Nightlight Satellite Data

Nightlight satellite data is relatively easy to access, and thus it can be used to measure variables that are hard to observe. The burning of oil and gas, lights from fishing boats at sea, forest fires, and volcanic eruptions can all be detected on nightlight images. In urban areas, nightlight sensors mainly detect low-intensity lights at night emitted by street lights, lights of buildings in commercial areas and residential areas, and traffic flows (Zhuo, Zhang, Zheng, Tao, & Guo, 2015).

The nightlight satellite data can measure several aspects of the city. First, nightlight satellite data can measure socioeconomic developments, such as gross domestic product (C. N. Doll et al., 2006; Ghosh, L Powell, et al., 2010; Proville et al., 2017; P. C. Sutton et al., 2007), carbon emission (C. H. Doll et al., 2000; C. N. Doll et al., 2006; Ghosh, Elvidge, et al., 2010; Raupach et al., 2010), electricity consumption (Chand et al., 2009; He et al., 2014; Shi, Yu, et al., 2014; Townsend & Bruce, 2010), house vacancy (Chen et al., 2015), and population study (Elvidge et al., 2012; P. Sutton, 1997; P. Sutton et al., 1997). Second, nightlight satellite data can measure urban areas in cities. For instance, nightlight satellite data can be applied to investigate urban densities, urban land use, urban expansions, urban spatial clusters, and urban boundaries (Dou et al., 2017; Elvidge et al., 2007; Henderson et al., 2003; Imhoff et al., 1997; Li et al., 2018; Z. Liu et al., 2012; Lo, 2002; Ma et al., 2014; McDonald et al., 2008; Shi, Huang, et al., 2014; Wu et al., 2014; Yu et al., 2014). Additionally, nightlight satellite data can measure urban areas inside the city. Figure 1 shows that different types of urban areas in Cincinnati and their corresponding nightlight satellite images in 2012. Except for the University of Cincinnati (UC) which is also bright (UC does not turn off exterior lights at night), Central Business District (CBD) is much brighter than residential areas, industrial areas, and other non-urban areas. It is because roads in CBD are denser than other urban areas such as residential areas in the same city. With the denser and brighter streetlights, CBD is brighter, that is, values of nightlight satellite pixels in CBD are also higher than those of other urban areas. Additionally, Figure 1 shows that nightlight satellite pixels in non-urban areas like green areas have lower pixel values than urban areas. Typically, it is because the recorded radiance of nightlight satellite pixels in green areas is far lower than that in urban areas. Since nightlight satellite data can measure socioeconomic developments and urban constructions, this data is a suitable source to measure composite edges that combine both physical edges (changes of urban constructions) and social edges (changes of socioeconomic developments) in a city.

Since nightlight satellite data is the raster data like the pixel grid, the sharp level of composite edges measured by this data is based on the level of changes from a nightlight cell to its neighbors. Table 1 describes some examples of areas where the sharp level of composite edges is typically high or low. The sharp level of composite edges can be low in areas where nightlight cells have the same level of values, such as areas within CBD (or residential areas) where values are consistently high (or moderate), or in the areas within parks or rivers where values are consistently low. In contrast, the sharp level can be high (or moderate) in the areas along the edges of CBD (or residential areas) where high or moderate values are surrounded by low values, or in the areas along the edges of parks or rivers where low values are surrounded by moderate values.




Figure 1. Nightlight Satellite Data of Cincinnati in 2012 from the band Day/Night Band (DNB) in the Visible Infrared Imaging Radiometer Suite sensor on the Suomi National Polar-Orbiting Partnership Satellite (NPP-VIIRS).

Table 1. Examples of areas and their corresponding composite edges measured by nightlight satellite data.

Types of Areas	Nightlight Divol Voluge	Sharp Level of	
Types of Areas	Nightlight Pixel Values	Composite Edges	
Areas within CBD or UC	Super high surrounded by high	Moderate	
Areas within residential areas	Moderate surrounded by moderate	Low	
Areas within parks or rivers	Low surrounded by low	Low	
Areas along the edges of CBD/UC	High surrounded by low	High	

Areas along the edges of	Moderate surrounded by low	Moderate	
residential areas	Woderate surrounded by low	Wioderate	
Areas along the edges of	Low surrounded by moderate	Moderate	
parks/rivers	tow surrounded by moderate	Moderate	

2. Research Questions and Conceptual Framework

To assess the impact of composite edges measured by nightlight satellite data, this study focuses on street robbery and burglary. These two types of crimes are considered for two reasons. First, both street robbery and burglary belong to property crimes. Street robbery means the theft of property in an outdoor, noncommercial location (Wright & Jacques, 2010). Burglary means trespassing and theft into residential settings (i.e., a building or automobile) (Waller & Okihiro, 1978). Thus, both street robbery and burglary are related to socioeconomic developments that nightlight satellite data can capture. Second, street robbery occurs on the streets while burglary occurs inside buildings, both of which are associated with urban infrastructures that nightlight satellite data can capture.

How do composite edges measured by nightlight satellite data affect street robbery and burglary? To answer the question effectively, this study applies the crime pattern theory and the social disorganization theory as the theoretical foundation. The crime pattern theory is applied since edges are key concepts in this theory. The social disorganization theory accounts for other characteristics in addition to edges. The social disorganization theory is selected because it interprets the rate of offenders at the

neighborhood level (Herbert & Hyde, 1985), emphasizes the impact of socioeconomic characteristics of local social neighborhoods (Clifford R Shaw & McKay, 2010), and focus on the geographical distribution of offender residence (Weisburd, Groff, & Yang, 2012). This theory focus on the social disorganization — the incapability of a social unit to keep effective social control, realize common values, and solve long-term problems (Bursik Jr, 1988; Kornhauser, 1978; Kubrin & Weitzer, 2003). In the social disorganization theory, residential mobility, ethnic heterogeneity, and socioeconomic disadvantage contribute to the increase in the rate of delinquents (L. Liu, Feng, Ren, & Xiao, 2018; Rosenfeld & Fornango, 2014; Clifford Robe Shaw & McKay, 1942). Specifically, a socially disorganized geographic unit characterized by high residential instability, high ethnic heterogeneity, and severe socioeconomic disadvantage (low socioeconomic status) is preferred by street robbery and burglary.

This study estimates a series of negative binomial regression models to reveal the relationship between the tract environment and street robbery/burglary (Figure 2). One scenario is considered in the models: Composite edges can affect street robbery and burglary statistically significantly.




Figure 2. The relationship between the tract environment and street robbery/burglary.

3. Study Area and Data

3.1. Study Area and Crime Data

The study area of this research is the City of Cincinnati (hereafter Cincinnati), a major city in Ohio State, United States. Cincinnati is located in the southwest of Ohio and near the junction of Ohio, Kentucky, and Indiana. According to the FBI report, Cincinnati ranked the 16th most dangerous city in the United States (F.B.I., 2010). The five-year American Community Survey in 2012 showed that there were 324,732 residents in Cincinnati. Additionally, Cincinnati is a high ethnically diverse city. White occupied the largest number of residents, followed by African American in 2012. The rental vacancy rate had the largest decrease in 2012 after it peaked in 2006 (12.97%), fallen by 11.30% in 2011 to 6.92% in 2012. The household income was the lowest in 2012 since 2006 according to the

Department of Number. The boundary of Cincinnati is downloaded from the Cincinnati Area Geographic Information System (CAGIS, http://cagis.org/Opendata/). Additionally, the 2012 tract-level census data are downloaded from the United States Census Bureau TIGER/Line Shapefiles. This data includes the tract shapefile and demographic information from the five-year ACS data such as population and household income. The 2012 tract-level demographic and economic data released by census bureau are from 2008–2012 five-year ACS data. The typical census data in USA is not available for 2012 since it is collected in every ten years (i.e., 2000 and 2010). Boundaries of census tracts are generally defined by permanent, visible features, such as streets and roads according to the geographic areas reference manual by US Census Bureau. Some of this demographic information is applied as control variables in this research. Since some tracts extend beyond the boundary of Cincinnati, tracts which have caused large noticeable discrepancies are erased. After removing these tracts, there are 114 tracts in Cincinnati in 2012.

Crime data in Cincinnati in 2012 is provided by the Cincinnati Police Department. There are 36770 geocoded crime incidents reported between January 2012 and December 2012. These crime records include the type of crimes, address, report time, location code such as "street", "residential facility", etc. This study selects street robbery data by the type of crime "robbery" and the location code "street", and burglary data by the type of crime "burglary". The crime data of this research includes 1050 incidents for street robberies and 3384 incidents for burglaries (Figure 3). Crime data of both street

robbery and burglary are aggregated to the tract level. There are 14 tracts that did not witness any street robbery or burglary in 2012.




Figure 3. Street robbery and burglary in Cincinnati.

Previous studies investigated the patterns of crimes on spatial boundaries through the proximity analysis (Kim & Hipp, 2018; Song et al., 2017; Song et al., 2013). They found that the curve of the crime density has the distance decay effect: The crime density peaks on or near the edge but drops rapidly and then keeps stable when moving away from the edge. This study applies the same approach to investigate whether the patterns of street robbery or burglary on boundaries of tracts in Cincinnati have the same decay pattern as previous research. The crime density is calculated by dividing the amount of street

robbery or burglary by the area of this region for every 50-meter increment. Figure 4 shows that burglary and street robbery have a similar crime pattern: As the distance from the tract boundary increases, the crime densities of both street robbery and burglary decrease sharply, and then reach relatively stability. The crime density of burglary is nearly three times the crime density of street robbery because incidents of burglary are three times as many as incidents of street robbery. Both street robbery and burglary in this research match the crime decay pattern in previous studies.




Figure 4. Patterns of street robbery and burglary on boundaries of tracts.

3.2. Nightlight Satellite Data

In a city, nightlight satellite data hardly captures radiated emissions from the earth or the sun but captures lights emitted by the urban constructions or human activities. Sensors on nightlight satellites obtain the radiation intensity of the visible and near-infrared waves emitted by the night surface. They detect the wavelengths at the range of 0.5 to 0.9 μ m (Elvidge et al., 2009; Iona et al., 2012). This range covers most waves in the visible bands (0.38 to 0.74 μ m) and a few waves in near-infrared bands (0.74 to 1.4 μ m). According to the black-body emission curves of the earth, the emission spectrum of the earth reaches the peak (nearly 17 w·cm⁻²·sr⁻¹·um⁻¹) in the wavelength of 10 μ m and drops closed to 0 w·cm⁻²·sr⁻¹·um⁻¹ when the wavelength is lower than 5 μ m. Therefore, during the nightlime, there is no radiation emission from the sun and the earth, and nightlight satellites capture only visible nightlights from humans.

Nightlight satellite data can be derived from three sources: Defense Meteorological Satellite Program—Operational Linescan System (DMSP-OLS), the Visible Infrared Imaging Radiometer Suite sensor on the Suomi National Polar-orbiting Partnership Satellite (NPP-VIIRS, hereafter VIIRS), and Luojia 1-01. DMSP-OLS releases data from 1992 to 2013 while VIIRS launched in 2012 and Luojia 1-01 launched in June 2018 still work. Sensors on these satellites apply the low-light imaging ability to capture the nightlight data at 7:30 pm (DMSP-OLS), 1:30 am (VIIRS), or 10:00 pm (Luojia 1-01). Luojia 1-01 has the highest spatial resolution (130m) compared with DMSP-OLS (30 arc seconds, nearly 1km) and VIIRS (15 arc seconds, nearly 500m). However, Luojia 1-01 needs the ground control points to make on-orbit geometric calibration whereas the other two satellites have produced products that do not require the geometric calibration (Zhang et al., 2019). Additionally, unlike

DMSP-OLS and VIIRS which have established data that cover most countries in the world, so far Luojia 1-01 only releases data that covers very few regions out of China with a limited time range. Hence, Luojia 1-01 is not considered in this study. Moreover, DMSP-OLS also have limitations. Since DMSP-OLS only records radiance from 10⁻¹⁰ to 10⁻⁸ w·cm⁻¹ ²·sr⁻¹·um⁻¹ above the earth's surface, when the visible and the near-infrared radiance on the earth's surface such as the bright cores of urban centers and large gas flare is over 10⁻¹ ⁸ w·cm⁻²·sr⁻¹·um⁻¹, DMSP-OLS data has saturation. Thus, when applying DMSP-OLS in the urban study, researchers need several approaches to solve saturation, such as the EVIbased method (Zhuo et al., 2015). Since VIIRS has a higher spatial resolution and no saturation compared with DMSP-OLS, VIIRS is more superior in mapping nightlight data (Elvidge, Baugh, Zhizhin, & Hsu, 2013; Li, Xu, Chen, & Li, 2013). For example, VIIRS can detect intra-urban variations in brightness in urban cores saturated in the DMSP-OLS imagery. VIIRS can also distinguish small point sources of nightlight at scales approaching 1000 meters where DMSP-OLS captures only low luminance background light often indistinguishable from overglow (Small, Elvidge, & Baugh, 2013). Therefore, this study uses VIIRS nightlight data. Nightlight satellite data in this study is the suite of average radiance monthly composites in 2012 from the band Day/Night Band (DNB) in VIIRS. This data is available at National Centers for Environmental Information (NCEI) of National Oceanic and Atmospheric Administration (NOAA) The monthly data has screened out the impact of stray light, lightning, lunar illumination, and cloud-cover before taking the average of the daily data to obtain the monthly data. However, this monthly nightlight satellite data has not been filtered to exclude lights from the aurora, fires, boats, and other temporal lights. Hence, nightlight satellite data in this study has undergone an outlier removal process to filter out fires and other ephemeral lights (Chen et al., 2015). Furthermore, since VIIRS nightlight data has a relatively high radiance in winter due to the blocking effect of vegetation canopy (Li, Elvidge, Zhou, Cao, & Warner, 2017; Zhao, Hsu, Cao, & Samson, 2017), the nightlight satellite image in December is clearer than other months to show street, industry, and business center. Hence, this study applies VIIRS nightlight imagery in December 2012. We project this data as NAD 1983 State Plane Ohio South coordinates system which is the projection of the study area, and then clip it to the spatial extent of the city of Cincinnati at a spatial resolution of 500 m.

3.3. Edges Defined as Nightlight Gradients

Since edges are defined as the change from one part to another (Patricia L Brantingham & Brantingham, 1993; Song et al., 2013), this study applies nightlight gradients—gradients of nightlight satellite pixels—to measure composite edges at the tract level in Cincinnati. The nightlight gradients are assigned by the maximum change of values from one nightlight cell to its neighbors measured as the degree level (0°–90°). A higher result value of a cell represents a higher difference to its neighbors. This study applies the Slope function in ArcMap to calculate the nightlight gradients. Figure 5 shows the result of nightlight gradients in Cincinnati. Cells which have high nightlight gradient values (over 10 degrees) are all located in areas surrounding CBD in downtown. The nightlight gradient value of the cell fully inside CBD is not far lower than values of cells in the boundary of CBD because the nightlight value in the center of CBD is far higher than

its surrounding neighbor cells. Since the analysis unit in this study is tract, this study introduces a new approach to back up the rationality to aggregate nightlight gradients at the tract level—calculating between variance and within variance of nightlight gradients at the tract level (Table 2). Since between variance is much larger than within variance, the difference of nightlights between tracts is larger than that within tracts. Hence, it is reasonable to aggregate nightlight gradients into the tract level in Cincinnati.





Figure 5. Nightlight gradients in Cincinnati and details in/around CBD.

Table 2. Nightlight Gradients in Cincinnati.

Analysis	Mean Area	Between	Within	Unit	
Unit	(km²)	(Variance of Mean)	(Mean of Variance)	Amount	
Tract	1.80	3.91	0.81	114	

3.4. Operationalization of Variables

In this study, the tract is chosen as the analysis unit. Data employed in this study include criminal records, variables from census data, and nightlight gradients. Table 3 provides the operationalization of variables, and Table 4 summarizes the descriptive statistic of these variables. The dependent variables are rates of street robbery and burglary at the tract level. Crime rates can be defined as the number of crime incidents by the residential population per 100,000 in a large unit like the county or per 1000 in a small unit like the block group (James & Smith, 2017; Osgood, 2000). Since the population size of tracts is close to the size of block groups and far smaller than the size of counties, this study defines street robbery rate and burglary rate as the number of crime incidents by the residential population per 1000 at the tract level. The average value of the crime rate of street robbery is 3.90, and the average value of the crime rate of burglary is 10.52. Figure 6 shows the distributions of street robbery rate and burglary rate in Cincinnati. The tracts with high street robbery rates are mainly located in the southern part of Cincinnati, while the tracts with high burglary rates are scattered throughout the city.



Projection: NAD 1983 StatePlane Ohio South FIPS 3402 Meter




Figure 6. Distributions of (a) street robbery rate and (b) burglary rate in Cincinnati.

(b)

The independent variables include Nightlight Gradient and the control variables. Derived from VIIRS nightlight data, Nightlight Gradient is calculated by the average value of gradients of nightlight satellite pixels at each tract. Since some nightlight gradient cells are not fully inside a tract, this study assigns values of these cells at that tract by multiplying original values with the percentage of these cells that overlap the tract. A tract with a higher value of Nightlight Gradient represents more edges in this tract. Figure 7 shows the distribution of nightlight gradients at the tract level. Tracts with larger values of Nightlight Gradient are in the downtown and its surrounding areas and UC main campus (the lower left of UC in Figure 7).




Figure 7. Nightlight Gradients in Cincinnati.

To minimize the possibility of obtaining spurious results, the control variables are obtained from the 2012 ACS data in 2012 to measure residential instability, ethnic heterogeneity, and socioeconomic disadvantage in the social disorganization theory. First, the rental rate and the vacant rate are applied to measure residential instability (Peterson, Krivo, & Harris, 2000). The rental rate is measured by the percentage of occupied housing units that are renter-occupied at each tract, and the vacant rate is measured by the percentage of housing units that are vacant at each tract. Second, the percentage of the African-American population is used to measure ethnic heterogeneity since both robbery and burglary rates increase as it increases (Danzinger, 1976). Third, the low median household income, fewer people with the advanced degree level, and the high young male rate (aging 18-29) can represent socioeconomic disadvantage (HABERMAN & RATCLIFFE, 2015; L. Liu et al., 2018). Since the range of the median household income from the census data is far larger than ranges of the dependent variable and other variables, the effect of this variable for the dependent variable can be weakened. Thus, this study applies the natural logarithm of the median household income. The young male, aged between 18 and 29, is a common variable in past research (Braungart, Braungart, & Hoyer, 1980). The advanced degree level is commonly applied in previous research as well (Gibson, Zhao, Lovrich, & Gaffney, 2002; L. Liu et al., 2018). An increase in the percentage of the population with a college degree significantly reduces the robbery rate (Danzinger, 1976). This paper uses the percentage of the population with a bachelor's degree or above in population 25 years and over. Therefore, a tract is expected to have more street robberies and more burglaries if it has higher residential instability (a higher vacancy rate and a higher rental rate), higher ethnic heterogeneity (a higher African-American rate), and higher socioeconomic disadvantage (a lower household income, fewer people with the high level of education, and a higher percentage of young males). Figure 2 summarizes how these control variables are associated with factors in the social disorganization theory.

Table 3. All variables in negative binomial regression models (N = 114).

Variables	Description
Dependent	All variables are at Tract Level
Street Robbery Rate	Counts of reported street robberies per 1000 people
Burglary Rate	Counts of reported burglaries per 1000 people
Independent	All variables are at Tract Level
Nightlight Gradient	Mean of nightlight gradient values
Vacancy Rate	Percentage of vacant buildings among all buildings
Rental Rate	Percentage of rental buildings among occupied buildings
African American Rate	Percentage of the African American population among total
	population
Household Income (Log)	The natural logarithm of the median household income
Advanced Degree Level	Percentage of population with bachelor's degree or higher
rataneed Degree Level	degree among population aged 25 or more
Young Male Rate	Percentage of 18 to 29 male among total population

Table 4. Descriptive information of variables.

Variables	Minimum	Maximum	Mean	Standard Deviation	VIF
Crime Counts					
Street Robbery	0	50	9.32	9.68	
Burglary	0	158	30.03	24.61	
Dependent					
Street Robbery Rate	0	44	3.90	5.87	
Burglary Rate	0	32	10.52	6.73	
Independent					
Nightlight Gradient	0.32	11.48	1.75	1.98	1.78
Vacancy Rate	0.02	0.71	0.22	0.13	2.25
Rental Rate	0.10	1.00	0.59	0.21	4.03
African American Rate	0.00	0.95	0.42	0.30	2.42
Household Income (Log)	8.92	11.60	10.37	0.55	5.80
Advanced Degree Level	0.03	0.83	0.30	0.21	2.42
Young Male Rate	0.01	0.50	0.11	0.09	1.76

3.5. Models

The negative binomial regression analysis is employed to investigate the relationship between nightlight gradients and rates of street robbery/burglary. Since Street Robbery Rate and Burglary Rate street robbery rate and burglary rate are both small, distributions of these crime rates do not follow normal or even symmetrical error distributions (James

& Smith, 2017; Osgood, 2000). Both Poisson regression models and negative binomial regression models are appropriate for the count data, but negative binomial regression models can also work for the overdispersed count outcomes (Hilbe, 2011; McCullagh, 2019; Nelder & Wedderburn, 1972; Osgood, 2000). To test whether these two dependent variables are overdispersed, this study calculates the likelihood ratio test of alpha with the negative binomial regression model using Stata 13.0. The alpha coefficients are greater than zero and the likelihood ratio tests for alpha=0 are significant (Prob > chi2 in Table 5 are all lower than 0.01), which indicates that these two dependent variables are overdispersed. Therefore, this study applies negative binomial regression models. The probability distribution of the negative binomial regression model is shown in Equation (1) where y is the non-negative integer, λ is the mathematical expectation of Y, and τ is a fuzzy parameter representing overdispersed. λ and τ are larger than 0.

$$Pr(Y = y) = \frac{\Gamma(y + \tau)}{y! \Gamma(\tau)} (\frac{\tau}{\lambda + \tau})^{\tau} (\frac{\lambda}{\lambda + \tau})^{y}$$
(1)

Additionally, to test how Nightlight Gradient improves the performance of models to fit street robbery and burglary, this study also applies the negative binomial regression models that exclude Nightlight Gradient. Hence, with the use of the same control variables, there are four negative binomial regression models in this study. In Model 1, the dependent variable is Street Robbery Rate, and the independent variables are only control variables. In Model 2, the dependent variable is Street Robbery Rate, and the independent variables include Nightlight Gradient and control variables; In Model 3, the dependent variable is Burglary Rate, and the independent variables are only control

variables. In Model 4, the dependent variable is Burglary Rate, and the independent variables include Nightlight Gradient and control variables. Before running the model, this study applies IBM SPSS Statistic 25 to calculate the variance inflation factors (VIF) of these independent variables to check the collinearity. The VIF values of variables are far below 10 (Table 4), so there is no evidence of collinearity problem. This study uses IBM SPSS Statistic 25 to estimate these four negative binomial regression models.

This study uses the Akaike Information Criterion (AIC) and Incident Rate Ratios (IRRs) to evaluate the fitness of the models. The AIC is an estimator of the quality of each model relative to each of the other models (Hilbe, 2011). A smaller AIC value represents better fitness. The IRRs, calculated by exponentiating the coefficient of a model, interpret the effects of independent variables on the dependent variable. An IRR represents a percentage change in the dependent variable per one-unit increase in an independent variable (Cameron & Trivedi, 2013). IRRs larger than 1 indicate positive effects whereas IRRs lower than 1 indicate negative effects. Furthermore, this study applies the 2013 and 2014 data in Cincinnati to validate the impact of composite edges by VIIRS nightlight data.

4. Results

Table 5 summarizes the results of the four negative binomial regression models. The fact that AIC values in Model 2 and Model 4 are lower than those in Model 1 and Model 3 respectively suggests that nightlight gradients consistently improve the negative binomial regression models for both the street robbery rate and the burglary rate. The IRRs in Table 5 show that nightlight gradients in Model 2 and Model 4 make a positive

impact on Street Robbery Rate and a negative impact on Burglary Rate, both of which are statistically significant under the alpha level of 0.05. It means that a higher average value of nightlight gradients in a tract increases the street robbery rate but decreases the burglary rate. Since gradients of nightlight pixels represent composite edges – the change from areas with more urban constructions and higher socioeconomic developments to areas with less urban constructions and lower socioeconomic developments, this result also interprets that composite edges measured by VIIRS nightlight data affect both street robbery and burglary statistically significantly.

In each model, at least half of the control variables are statistically significant under the alpha level of 0.05. Vacancy Rate and Rental Rate make a positive impact on crime rates except for Rental Rate in Model 3. It represents that a tract with higher residential instability has higher rates of street robbery and burglary. African American Rate makes a positive impact on crime rates in all models, so a tract with higher ethnic heterogeneity is associated with a higher rate of street robbery and burglary. The negative impact of Advanced Degree Level and the positive impact of Young Male Rate in all models, and the negative impact of Household Income (Log) in Model 3 and Model 4, demonstrate the contribution of socioeconomic disadvantage to occurrence of street robbery and burglary. In short, except Rental Rate in Model 3 and Household Income (Log) in Model 1 and Model 2, the impact of control variables on the street robbery and burglary replicate the results from previous research that crimes prefer a tract with higher residential instability, higher ethnic heterogeneity, and higher socioeconomic disadvantage (L. Liu et al., 2018; Rosenfeld & Fornango, 2014; Clifford Robe Shaw & McKay, 1942).

For the validation of the model, the 2013 and 2014 nightlight data together with the corresponding control variables are used to verify the fitness of the models. As is shown in Table 6, IRRs of Nightlight Gradient are relatively stable, and Nightlight Gradient consistently makes positive impacts (IRR > 1) on models of street robbery and negative impacts (IRR < 1) on models of burglary. The AIC values remain relatively stable for all three years. Additionally, in a parenthesis of Table 6, the first value is the AIC value before adding Nightlight Gradient, and the second value is the AIC value after adding Nightlight Gradient for the same dependent variables in the same year. Results of AICs show that Nightlight Gradient consistently improves the performance of models in all three years.

Table 5. Results of negative binomial regression models.

	Incident Rate Ratios (IRRs)				
Variables	Street Rok	bery Rate	Burglary Rate		
	Model 1	Model 2	Model 3	Model 4	
Nightlight Gradient		1.11**		0.90***	
Vacancy Rate	55.85***	22.82***	1.05	2.20	
Rental Rate	13.23***	5.02*	0.74	1.16	
African American Rate	2.32*	2.14*	1.14	1.17	
lousehold Income (Log)	1.39	1.04	0.53**	0.61**	

Advanced Degree Level	0.29*	0.12**	0.38**	0.48*
Young Male Rate	20.60**	21.21**	4.94*	5.92**
(Constant)	0.00	0.19	9423.42***	1483.40***
Alpha	0.20	0.17	0.10	0.08
Prob > = chi2	0.00	0.00	0.00	0.00
AIC	450.10	445.77	667.33	657.93

Note: *p < 0.05, **p < 0.01, ***p < 0.001.

Table 6. Results of IRR of Nightlight Gradient and AIC reduction in 2012–2014.

	Stre	Street Robbery Rate			Burglary Rate		
Variables	2012	2 2013 2014 2012		2012	2013	2014	
IRR of Nightlight Gradient	1.11**	1.41***	1.24***	0.90***	0.88**	0.95*	
	Yes	Yes	Yes	Yes	Yes	Yes	
AIC Reduction	(450.10 >	(464.36 >	(435.96 >	(667.33 >	(709.73 >	(662.57 >	
	445.77)	442.80)	421.99)	657.93)	707.21)	661.15)	

Note: *p < 0.05, **p < 0.01, ***p < 0.001. AIC values are shown in the parentheses.

5. Discussion

While this study has underscored the impact of composite edge effects derived VIIRS nightlight data in modeling crime at the tract level, the relatively low spatial resolution of 500m makes it unsuitable for smaller units such as census block groups. Fortunately, Wuhan University has released Luojia 1-01 nightlight imageries with a high resolution of 130m, which can be applied to block groups or even blocks.

Although there are data sources such as census data and land use data that can also be applied to measure edges, nightlight satellite data still represents an attractive option. First, compared with census variables and land use data, nightlight satellite data can directly measure composite edges. Though land use data and census variables can measure physical edges and social edges respectively, it is hard to combine them to measure composite edges. It is because land use data are the category variables and census variables are the continuous variables. Additionally, so far no research provides the theoretical support for deciding the weights of each variable to measure composite edges. However, nightlight satellite data can directly capture the combination of physical edges (changes of urban constructions) and social edges (changes of socioeconomic developments). Second, nightlight satellite data can apply the measure of edges to geographic units and statistical analysis. Since values of land use data are category instead of continuous, scholars mainly used the proximity analysis to measure the impact of edges where different types of land use adjoin on levels of crime (Song et al., 2017; Song et al., 2013). However, values of nightlight satellite data are countable, and thus nightlight satellite data can be aggregated to geographic units and work as a continuous variable in statistical models. Third, nightlight satellite data has a higher time resolution than land use data which does not update frequently. For example, the latest land use data in the United States that the public can access is established in 2011, while nightlight satellite data updates yearly or monthly.

Previous studies have specified that more edges contribute to more crimes (Patricia L Brantingham & Brantingham, 1975, 1978; Davison & Smith, 2002; Kim & Hipp, 2018). This is recognized by the positive impact (IRR > 1) of nightlight gradients on the street robbery rate in this study. Nevertheless, the negative impact (IRR < 1) of nightlight gradients on the burglary rate shows a contradictive conclusion. The different impacts may be explained by the typical location of these two crimes and the local characteristics of nightlights. Street robbery occurs on the streets, so areas with denser streets tend to have more street robberies. Since streetlights on streets still work at 1:30 am when the VIIRS satellite captures nightlight, nightlight satellite pixels covering more streets have higher values than pixels with fewer or no streets. Therefore, nightlight gradient values of cells with more streets surrounded by cells with fewer streets can be large, which represents that the sharp level of composite edges is high. This means that composite edges measured by nightlight satellite data are positively related to street robbery. Therefore, tracts with sharper composite edges should have more street robberies. In contrast to street robbery, according to the locational code of the burglary data, 3340 out of 3384 burglary incidents occurred within family zones or residential facilities. Nightlight gradients are low within residential areas but moderate along the edges (Table 1). Therefore, composite edges measured by nightlight satellite data are negatively related to burglary. Therefore, tracts with sharper composite edges should have less burglaries.

Besides the tract level, this study has also explored the effect of nightlight gradients on the street robbery rate and the burglary rate at the neighborhood level in Cincinnati. The patterns of street robbery and burglary also show the same distance decay pattern as the one in Figure 4 and as those from previous studies (Song et al., 2017; Song et al., 2013), and between variance is also much larger than within variance. Using the same control variables at the neighborhood level, we find consistent results as those of tract level. We have also tested the 2013 and 2014 nightlight data, and they yielded consistent results like those of the 2012 data. This confirms that the models are robust across both the neighborhood level and the tract level and time periods.

6. Conclusions

This study represents the first attempt at introducing nightlight satellite data to measure composite edges in the criminology and assesses the impact of edges on different types of crimes. This study applies nightlight gradients — the maximum change from one nightlight satellite pixel to its neighbor pixels — to represent composite edges. With the use of VIIRS nightlight data in December, crime incidents, and the ACS data in 2012, this study demonstrates the effect of composite edges on street robbery and burglary in Cincinnati after controlling residential mobility, ethnic heterogeneity, and socioeconomic disadvantage. Results of AICs in the negative binomial regression models reveal that nightlight gradients consistently improve the fitness of models of street robbery and burglary. Further, nightlight gradients affect the street robbery rate positively (IRR > 1) and the burglary rate (IRR < 1) negatively, both of which are statistically

significant under the alpha level of 0.05. This study also applies the 2013 and 2014 VIIRS nightlight data to validate the impact of composite edges. With the corresponding control variables, the 2013 and 2014 nightlight data yielded consistent results like those of the 2012 data based on AICs and IRRs. The different effects of nightlight gradients on street robbery and burglary are attributed to their contrasting spatial distributions. According to the crime data in this study, street robbery occurred on the streets whilst burglary incidents occurred within family zones or residential facilities. The robust performance of models underscores that nightlight gradients are a reasonable measure of composite edges. Since nightlight satellite data is relatively easy to access globe wide, it can play a vital role in modeling crime, especially in areas where quality census data and land use data are not available.

References

- Bernasco, W., & Block, R. (2011). Robberies in Chicago: A block-level analysis of the influence of crime generators, crime attractors, and offender anchor points.

 **Journal of Research in Crime and Delinquency, 48(1), 33-57.
- Brantingham, P., & Brantingham, P. (1981). Notes on the geometry of crime. *Environmental Criminology, 13*(1), 27-53.
- Brantingham, P., & Brantmgham, P. (1995). Criminality of place. *European journal on criminal policy and research*.
- Brantingham, P. J., & Brantingham, P. L. (1977). Housing patterns and burglary in a medium-sized American city. *Criminal justice planning*, 63-74.
- Brantingham, P. J., Brantingham, P. L., & Molumby, T. (1977). Perceptions of crime in a dreadful enclosure.
- Brantingham, P. J., Tita, G. E., Short, M. B., & Reid, S. E. (2012). The ecology of gang territorial boundaries. *Criminology*, *50*(3), 851-885.
- Brantingham, P. L., & Brantingham, P. J. (1975). Residential burglary and urban form. *Urban studies*, 12(3), 273-284.
- Brantingham, P. L., & Brantingham, P. J. (1978). A topological technique for regionalization. *Environment and Behavior*, *10*(3), 335-353.
- Brantingham, P. L., & Brantingham, P. J. (1993). Nodes, paths and edges: Considerations on the complexity of crime and the physical environment. *Journal of environmental psychology*, *13*(1), 3-28.

- Brantingham, P. L., Brantingham, P. J., Vajihollahi, M., & Wuschke, K. (2009). *Crime Analysis at Multiple Scales of Aggregation: A Topological Approach*.
- Braungart, M. M., Braungart, R. G., & Hoyer, W. J. (1980). Age, sex, and social factors in fear of crime. *Sociological Focus*, *13*(1), 55-66.
- Bursik Jr, R. J. (1988). Social disorganization and theories of crime and delinquency: Problems and prospects. *Criminology*, *26*(4), 519-552.
- Cameron, A. C., & Trivedi, P. K. (2013). *Regression analysis of count data* (Vol. 53):

 Cambridge university press.
- Chand, T. K., Badarinath, K., Elvidge, C., & Tuttle, B. (2009). Spatial characterization of electrical power consumption patterns over India using temporal DMSP-OLS night-time satellite data. *International Journal of Remote Sensing*, 30(3), 647-661.
- Chen, Z., Yu, B., Hu, Y., Huang, C., Shi, K., & Wu, J. (2015). Estimating house vacancy rate in metropolitan areas using NPP-VIIRS nighttime light composite data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 8(5), 2188-2197.
- Cohen, L. E., & Felson, M. (1979). Social change and crime rate trends: A routine activity approach. *American sociological review*, 588-608.
- Danzinger, S. (1976). Explaining urban crime rates. Criminology, 14, 291.
- Davison, E. L., & Smith, W. R. (2002). The relationship between crime and urban location in Raleigh, North Carolina.

- Doll, C. H., Muller, J.-P., & Elvidge, C. D. (2000). Night-time imagery as a tool for global mapping of socioeconomic parameters and greenhouse gas emissions. *AMBIO: a Journal of the Human Environment*, 29(3), 157-163.
- Doll, C. N., Muller, J.-P., & Morley, J. G. (2006). Mapping regional economic activity from night-time light satellite imagery. *Ecological Economics*, *57*(1), 75-92.
- Dou, Y., Liu, Z., He, C., & Yue, H. (2017). Urban land extraction using VIIRS nighttime light data: An evaluation of three popular methods. *Remote Sensing*, *9*(2), 175.
- Duffala, D. C. (1976). Convenience stores, armed robbery, and physical environmental features. *American Behavioral Scientist*, 20(2), 227-245.
- Eck, J., & Weisburd, D. L. (2015). Crime places in crime theory. *Crime and place: Crime prevention studies, 4*.
- Elvidge, C. D., Baugh, K. E., Anderson, S. J., Sutton, P. C., & Ghosh, T. (2012). The Night

 Light Development Index (NLDI): a spatially explicit measure of human

 development from satellite data. *Social Geography*, 7(1), 23-35.
- Elvidge, C. D., Baugh, K. E., Zhizhin, M., & Hsu, F.-C. (2013). Why VIIRS data are superior to DMSP for mapping nighttime lights. *Proceedings of the Asia-Pacific Advanced Network*, 35(0), 62.
- Elvidge, C. D., Erwin, E. H., Baugh, K. E., Ziskin, D., Tuttle, B. T., Ghosh, T., & Sutton, P. C. (2009). *Overview of DMSP nightime lights and future possibilities*. Paper presented at the 2009 Joint Urban Remote Sensing Event.

Elvidge, C. D., Safran, J., Tuttle, B., Sutton, P., Cinzano, P., Pettit, D., . . . Small, C. (2007).

Potential for global mapping of development via a nightsat mission. *GeoJournal*, 69(1-2), 45-53.

F.B.I. (2010).

- Ghosh, T., Elvidge, C. D., Sutton, P. C., Baugh, K. E., Ziskin, D., & Tuttle, B. T. (2010).

 Creating a global grid of distributed fossil fuel CO2 emissions from nighttime satellite imagery. *Energies*, *3*(12), 1895-1913.
- Ghosh, T., L Powell, R., D Elvidge, C., E Baugh, K., C Sutton, P., & Anderson, S. (2010).

 Shedding light on the global distribution of economic activity. *The Open Geography Journal*, 3(1).
- Gibson, C. L., Zhao, J., Lovrich, N. P., & Gaffney, M. J. (2002). Social integration, individual perceptions of collective efficacy, and fear of crime in three cities. *Justice Quarterly*, 19(3), 537-564.
- Groff, E. R., Weisburd, D., & Yang, S.-M. (2010). Is it important to examine crime trends at a local "micro" level?: A longitudinal analysis of street to street variability in crime trajectories. *Journal of Quantitative Criminology, 26*(1), 7-32.
- HABERMAN, C. P., & RATCLIFFE, J. H. (2015). TESTING FOR TEMPORALLY DIFFERENTIATED

 RELATIONSHIPS AMONG POTENTIALLY CRIMINOGENIC PLACES AND CENSUS

 BLOCK STREET ROBBERY COUNTS. *Criminology*, *53*(3), 457–483.
- Hart, T. C., & Miethe, T. D. (2015). Public Bus Stops and the Meso Environment:

 Understanding the Situational Context of Street Robberies *Safety and Security in Transit Environments* (pp. 196-212): Springer.

- He, C., Ma, Q., Liu, Z., & Zhang, Q. (2014). Modeling the spatiotemporal dynamics of electric power consumption in Mainland China using saturation-corrected DMSP/OLS nighttime stable light data. *International Journal of Digital Earth*, 7(12), 993-1014.
- Henderson, M., Yeh, E. T., Gong, P., Elvidge, C., & Baugh, K. (2003). Validation of urban boundaries derived from global night-time satellite imagery. *International Journal of Remote Sensing*, *24*(3), 595-609.
- Herbert, D. T., & Hyde, S. W. (1985). Environmental Criminology: Testing Some Area Hypotheses. *Transactions of the Institute of British Geographers*, *10*(3), 259-274.
- Hilbe, J. M. (2011). Negative binomial regression: Cambridge University Press.
- Hunter, R. D. (1988). Environmental characteristics of convenience store robberies in the state of Florida. *American Society of Criminology, Chicago*.
- Imhoff, M. L., Lawrence, W. T., Elvidge, C. D., Paul, T., Levine, E., Privalsky, M. V., & Brown, V. (1997). Using nighttime DMSP/OLS images of city lights to estimate the impact of urban land use on soil resources in the United States. *Remote Sensing of Environment*, 59(1), 105-117.
- Iona, G., Butler, J., Guenther, B., Graziani, L., Johnson, E., Kennedy, B., . . . Xiong, X. (2012).

 *VIIRS on-orbit optical anomaly: Investigation, analysis, root cause determination and lessons learned. Paper presented at the Earth Observing Systems XVII.
- James, A., & Smith, B. (2017). There will be blood: Crime rates in shale-rich US counties.

 Journal of Environmental Economics and Management, 84, 125-152.

- Jeffery, C. R. (1958). An integrated theory of crime and criminal behavior. *J. Crim. L. Criminology & Police Sci.*, 49, 533.
- Kim, Y.-A., & Hipp, J. R. (2018). Physical boundaries and city boundaries: consequences for crime patterns on street segments? *Crime & Delinquency, 64*(2), 227-254.
- Kimpton, A., Corcoran, J., & Wickes, R. (2017). Greenspace and crime: An analysis of greenspace types, neighboring composition, and the temporal dimensions of crime. *Journal of Research in Crime and Delinquency*, *54*(3), 303-337.
- Kornhauser, R. R. (1978). Social sources of delinquency: An appraisal of analytic models.
- Kubrin, C. E., & Weitzer, R. (2003). New directions in social disorganization theory. *Journal of Research in Crime and Delinquency*, 40(4), 374-402.
- LeBeau, J. L. (1987). The methods and measures of centrography and the spatial dynamics of rape. *Journal of Quantitative Criminology*, *3*(2), 125-141.
- Legewie, J. (2018). Living on the edge: neighborhood boundaries and the spatial dynamics of violent crime. *Demography*, *55*(5), 1957-1977.
- Li, X., Elvidge, C., Zhou, Y., Cao, C., & Warner, T. (2017). Remote sensing of night-time light: Taylor & Francis.
- Li, X., Xu, H., Chen, X., & Li, C. (2013). Potential of NPP-VIIRS nighttime light imagery for modeling the regional economy of China. *Remote Sensing*, *5*(6), 3057-3081.
- Li, X., Zhao, L., Li, D., & Xu, H. (2018). Mapping urban extent using Luojia 1-01 nighttime light imagery. *Sensors*, *18*(11), 3665.

- Liu, L., Feng, J., Ren, F., & Xiao, L. (2018). Examining the relationship between neighborhood environment and residential locations of juvenile and adult migrant burglars in China. *Cities, 82*, 10-18.
- Liu, Z., He, C., Zhang, Q., Huang, Q., & Yang, Y. (2012). Extracting the dynamics of urban expansion in China using DMSP-OLS nighttime light data from 1992 to 2008.

 Landscape and Urban Planning, 106(1), 62-72.
- Lo, C. (2002). Urban indicators of china from radiance-calibrated digital dmsp-ols nighttime images. *Annals of the Association of American Geographers*, *92*(2), 225-240.
- Lynch, K. (1960). The image of the city (Vol. 11, mit Press Paperback Series): Cambridge, ma: mit press.
- Ma, T., Zhou, Y., Wang, Y., Zhou, C., Haynie, S., & Xu, T. (2014). Diverse relationships between Suomi-NPP VIIRS night-time light and multi-scale socioeconomic activity.

 *Remote Sensing Letters, 5(7), 652-661.
- Mayhew, P., & Britain, G. (1976). *Crime as opportunity* (Vol. 34): HM Stationery Office London.
- McCullagh, P. (2019). *Generalized linear models*: Routledge.
- McCutcheon, J. C., Weaver, G. S., Huff-Corzine, L., Corzine, J., & Burraston, B. (2016).

 Highway robbery: testing the impact of interstate highways on robbery. *Justice Quarterly*, 33(7), 1292-1310.

- McDonald, R. I., Kareiva, P., & Forman, R. T. (2008). The implications of current and future urbanization for global protected areas and biodiversity conservation. *Biological conservation*, *141*(6), 1695-1703.
- Nelder, J. A., & Wedderburn, R. W. (1972). Generalized linear models. *Journal of the Royal Statistical Society: Series A (General)*, 135(3), 370-384.
- Osgood, D. W. (2000). Poisson-based regression analysis of aggregate crime rates. *Journal* of Quantitative Criminology, 16(1), 21-43.
- Peterson, R. D., Krivo, L. J., & Harris, M. A. (2000). Disadvantage and neighborhood violent crime: Do local institutions matter? *Journal of Research in Crime and Delinquency*, *37*(1), 31-63.
- Proville, J., Zavala-Araiza, D., & Wagner, G. (2017). Night-time lights: A global, long term look at links to socio-economic trends. *PloS one*, *12*(3), e0174610.
- Raupach, M., Rayner, P., & Paget, M. (2010). Regional variations in spatial structure of nightlights, population density and fossil-fuel CO2 emissions. *Energy Policy*, *38*(9), 4756-4764.
- Rengert, G. (1980). Theory and practice in urban police response. *Crime: a spatial perspective. Columbia University Press, New York*, 276-289.
- Rengert, G. F. (1981). Burglary in Philadelphia: A critique of an opportunity structure model. *Environmental Criminology*, 189-201.
- Rosenfeld, R., & Fornango, R. (2014). The impact of police stops on precinct robbery and burglary rates in New York City, 2003-2010. *Justice Quarterly*, *31*(1), 96-122.
- Shaw, C. R., & McKay, H. D. (1942). Juvenile delinquency and urban areas.

- Shaw, C. R., & McKay, H. D. (2010). Juvenile delinquency and urban areas: A study of rates of delinquency in relation to differential characteristics of local communities in American cities (1969) *Classics in environmental criminology* (pp. 103-140): CRC Press.
- Shi, K., Huang, C., Yu, B., Yin, B., Huang, Y., & Wu, J. (2014). Evaluation of NPP-VIIRS night-time light composite data for extracting built-up urban areas. *Remote Sensing Letters*, *5*(4), 358-366.
- Shi, K., Yu, B., Huang, Y., Hu, Y., Yin, B., Chen, Z., . . . Wu, J. (2014). Evaluating the ability of NPP-VIIRS nighttime light data to estimate the gross domestic product and the electric power consumption of China at multiple scales: A comparison with DMSP-OLS data. *Remote Sensing*, 6(2), 1705-1724.
- Small, C., Elvidge, C. D., & Baugh, K. (2013). *Mapping urban structure and spatial connectivity with VIIRS and OLS night light imagery*. Paper presented at the Urban Remote Sensing Event.
- Song, J., Andresen, M. A., Brantingham, P. L., & Spicer, V. (2017). Crime on the edges: patterns of crime and land use change. *Cartography and Geographic Information Science*, 44(1), 51-61.
- Song, J., Spicer, V., & Brantingham, P. (2013). The edge effect: Exploring high crime zones near residential neighborhoods. Paper presented at the 2013 IEEE International Conference on Intelligence and Security Informatics.
- Stoks, F. G. (1983). ASSESSING URBAN PUBLIC SPACE ENVIRONMENTS FOR DANGER OF VIOLENT CRIME-ESPECIALLY RAPE.

- Suttles, G. D. (1968). The social order of the slum: Ethnicity and territory in the inner city:

 University of Chicago Press.
- Sutton, P. (1997). Modeling population density with night-time satellite imagery and GIS.

 Computers, Environment and Urban Systems, 21(3-4), 227-244.
- Sutton, P., Roberts, D., Elvidge, C., & Meij, H. (1997). A comparison of nighttime satellite imagery and population density for the continental United States.

 Photogrammetric Engineering and Remote Sensing, 63(11), 1303-1313.
- Sutton, P. C., Elvidge, C. D., & Ghosh, T. (2007). *Estimation of Gross Domestic Product at Sub-National Scales using Nighttime Satellite Imagery.* Paper presented at the International Journal of Ecological Economics & Statistics.
- Townsend, A. C., & Bruce, D. A. (2010). The use of night-time lights satellite imagery as a measure of Australia's regional electricity consumption and population distribution. *International Journal of Remote Sensing*, *31*(16), 4459-4480.
- Waller, I., & Okihiro, N. R. (1978). *Burglary: The victim and the public*: Centre of Criminology, University of Toronto by University of Toronto Press.
- Weisburd, D., Groff, E. R., & Yang, S.-M. (2012). The criminology of place: Street segments and our understanding of the crime problem: Oxford University Press.
- Wright, R., & Jacques, S. (2010). *Street Robbery: Oxford Bibliographies Online Research Guide*: Oxford University Press.
- Wu, J., Ma, L., Li, W., Peng, J., & Liu, H. (2014). Dynamics of urban density in china:

 Estimations based on DMSP/OLS nighttime light data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 7(10), 4266-4275.

- Yu, B., Shu, S., Liu, H., Song, W., Wu, J., Wang, L., & Chen, Z. (2014). Object-based spatial cluster analysis of urban landscape pattern using nighttime light satellite images: a case study of China. *International Journal of Geographical Information Science*, 28(11), 2328-2355.
- Zhang, G., Wang, J., Jiang, Y., Zhou, P., Zhao, Y., & Xu, Y. (2019). On-Orbit Geometric Calibration and Validation of Luojia 1-01 Night-Light Satellite. *Remote Sensing*, 11(3), 264.
- Zhao, N., Hsu, F.-C., Cao, G., & Samson, E. L. (2017). Improving accuracy of economic estimations with VIIRS DNB image products. *International Journal of Remote Sensing*, 38(21), 5899-5918.
- Zhuo, L., Zhang, X., Zheng, J., Tao, H., & Guo, Y. (2015). An EVI-based method to reduce saturation of DMSP/OLS nighttime light data. *Acta Geographica Sinica*, *70*(8), 1339-1350.